

FRANK

Field Photo Catalogue  
1935 - Nos. 201 - 333 (all of F. Cris.  
this year).  
1936 - Nos. 301 - 394 (cont'd  
in next book.)

35  
201/333  
CRESSON

36  
301/394  
CRESSON



LEWIS



Photographs

1935

+

1936



PIONEERS SINCE 1831

MINIATURE ACCOUNT BOOK

No. S 750

Journal  
Record  
Ledger

Ledger, S. E.  
Cash Book  
Day Book

S-750 Size 7 x 4 1/4 180 Pages  
S-751 Size 7 1/2 x 4 1/4 180 Pages  
S-752 Size 9 x 5 1/4 180 Pages

A PRODUCT OF WILSON-JONES CO.  
Made in U. S. A.  
N. Y.

Frank Cresson

Piedras Negras

Guatemala

A  
B  
C  
D  
E  
F  
G  
H  
J  
K  
L  
M  
N  
O  
P  
Q  
S  
T  
U  
V  
W  
Y  
Z

35  
201/333  
CRESSON

36  
201/344  
CRESSON

1

35  
201/333  
CRESSON

36  
201/314  
CRESSON

\*

?

2

1935  
Dateneg.  
serial  
number

film no.

stop

exposure

Roll

time of  
daykind  
of light

structure

looking  
direction

O.K. 3/29 201 1 22 5" 2" 9:30 L.C. J-9 S.W.

O.K. 3/29 202 2 22 2" 2" 2:00 Sun J-12 N.W.

## Description and Remarks.

Cut section thru room debris of central front room. Near right (S.W.) end of room. Back wall of room on right. End of front wall at S.W. doorway on left. Vault slabs down to floor level.

Southeastern half of J-12 before excavation. Boy at right with meter rod stands on debris in N.E. room. On his left is pier of outside wall. On his right is middle wall of building. Boy at left stands on pier of S.W. outside wall. Note small amount of room debris. Top of room debris is about .80 below top of remains of medial wall.

367  
201/394  
CRESSON

O.K. 3/30 203 ① 22 8" 8" 10:15 L.C. J-12 N.

S.U. 4/1 204 3 22 2" 2" 9:45 Sun J-12 S.W.

View across southeastern half of J-12 before excavation. Boy at left is holding rod on plinth on other side of building. Two middle boys standing on plinth on other side. Boy at right standing on room debris of northeast gallery. Shovel on pier of northeast wall. Large ridge in center is medial wall. Pier in foreground with meter stick is on N.W. side of southeasternmost doorway of S.W. wall. Plinth in front of pier

Cross section of debris in southeasternmost doorway of northeast wall. Composed of humus earth + irregular blocks of stone. No flat vaulted slabs. Doorway is about 1.65 m.

367  
301/314  
CRESSON

S.u. 4/1 205 4 22 1" 1" 8:45 Sun J-12 N.W.

S.u. 4/1 206 5 22 4" 4" 11:30 Sun J-8 W.

wide. Debris is about .75 thick above plinth in center of doorway. Tree above center of doorway

Cross section of debris in doorway in southeast end wall. Blocks of stone but no flat slabs. Doorway is 1.70 m. wide. Depth of debris above floor, .65.

Right (S.W.) end of front (S.E.) wall, showing junction of J-8 with pyramid terrace wall of J-3. Also showing remains of stairway against J-8 wall. Two steps in lower right. Two steps in upper center under falling cornice stone. Meter stick open to 1.00 m.

36-

301/314  
CRESSON

Un. 4/2 207 6 22 1" 1" 2:00 Sun J-12 S.W.

S.U. 4/3 208 7 22 1" 1" 11:45 Sun J-11 N.W.

D.K. 4/5 209 8 22 2" 1" 9:00 Sun J-18 N.W.

36-  
306/394  
CRESSON

Cross section of debris across middle of end room, from transverse wall at right to center of end doorway at left. Debris made up mainly of blocks + with a few slabs, apparently fallen wall material. Meter stick open to 1.10.

Cross section of debris in central doorway on S.E. side of building. Piers on each side. Plinth in front. Meter stick open to .85. Debris of blocks + slabs.

Cross section of debris in central doorway on S.E. side of building. Plinth step in front. Meter stick open to 1:00 m. + standing at back of left pier. Slabs thruout debris.

O.K. 4/6 210 9 22 4" 2" 9:40 L.C. J-11 N.E.

S.A. 4/6 211 10 22 1/2" 1/2" 1:45 Sun House S.  
 for shadows. A  
 J-7

Cross section of debris thru front room, just N.E. of central doorway. Medial wall on left. Pier on left (N.E.) side of central doorway on right. Meter stick open 1.50 m. Vault slabs throughout debris down to floor level. Note how some slabs are tilted.

South corner of House A under J-7 from the inside, showing floor, plastered house wall on left, and inside of terrace wall on right. When terrace wall was constructed, house floor was cut off at brush where stone projects above floor, and house wall was cut off at trowel where stone projects through wall.

36-  
 301/314  
 Cresson

u.d. 4/8 212 11 22 15" 8" 8:15 L.C. J-18 N.E.

direction  
to

u.d. 4/8 213 12 22 2" 2" 11:15 L.C. J-9 N.E.

retake ✓

direction  
to

u.d. 4/9 214 1 22 8" 4" 2:45 Sun J-11 N.E.

direction  
from

Cross section of debris thru left (N.E.) pier of central doorway of main room on S.E. side of building. Slabs to floor. Medial wall on left. Part of pier on right. Medial wall is standing to height of spring of vault?

Left (N.E.) end of central front room (S.E. side of building). End wall split on right. Side walls run beyond end wall. Note blocks in end wall but slabs in end vault.

Cross section of debris thru right (S.W.) pier of doorway to right of central doorway in main room on S.E. side of building. Slabs to floor. Note large slab covering what seems to be inside corner

36-  
301/344  
CRESSON

Direction  
from

U.D. 4/10 215 2 22 15" 8" 8:00 Cl. J-13 N.E.

U.D. 4/11 216 3 22 8" 4" 10:40 L.C. J-18 N.W.

Intensify?

of pier, at left. Medial wall on right. See same pier in no. 223 after removal of debris.

Cross section of debris thru end of front wall on left (S.W.) side of southwesternmost doorway on N.W. side of building.

Bench against medial wall in center of central room on N.W. side of building. Trowel is at top of masonry wall or screen at back of bench. Meter stick (opened once) is at top of bench.

Plaster in position at top of bench is at right on same level as meter stick. Brush is against wall at front of bench. Note large slabs of stone in debris in front of bench. Under side of large slab in center is .20 m. above floor.

36  
306/314  
Cresson

U.D. 4/12 217 4 22 4" 2" 11:00 Sun J-9 N.E.  
and  
J-10

U.D. 4/13 218 5 22 1' 1/2 10:30 rainy J-22 S.E.

U.D. 4/15 219 6 22 4" 4" 11:30 Sun J-22 E.

from

Cross section of debris between structures J-9 (on left) + J-10 (on right). Meter stick (open to 1.00 m.) stands on plinth of J-10. One very large slab (probably a cornice stone) in middle of debris at level of plinth of J-10. Some pieces of plaster at bottom of debris.

Cross section of debris .80 inside southwesternmost doorway. End of front wall from S. corner at left. Meter stick at right open to 1.50.

Cross section of debris thru end of front wall at S.W. end of building. Note that debris is higher in front than in rear (1.60 and 1.10) because rear half of vault is standing at this

36  
30/374  
CRESSON

U.D. 4/15 220 7 22 8" 8" 2:00 <sup>from</sup> ~~Shirley~~ J-22 S.  
 retake

U.D. 4/16 221 8 22 4" 2" 11:00 ~~Sen~~ J-18 N.W.  
 retake

end of building.

Cross section of debris about 2.00 m. to N.E. of end of front wall at S.W. end of building. Vault slabs throughout fell down to floor. Meter stick against rear wall open to 1.50 m. Although this section of debris is only about 2.00 away from that of the previous picture (219), note that here the debris is much higher at the rear than at the front (2.60 and 1.20). Although the rear wall is in good condition, the entire vault had fallen at this point.

Example of outer wall masonry N.W. side of building, from N. corner, on left, to first doorway, on right. This doorway has

36-  
 306/314  
 CRESSON

U.D. 4/16 222 9 22 8" 4" 3:15 Sun J-9 N.E.

retake ✓

U.D. 4/17 223 10 22 8" 4" 3:00 Sun J-11 N.E.

retake ✓

from

been walled up. Masonry of rectangular blocks varying somewhat in size, chinked with small rectangular stones. Meter stick at right open to 1.00 m. Whisk is standing on plinth.

Right (S.W.) end wall of central front room. Medial wall (on right) and front wall (on left) pass beyond end wall. Note that end wall is made of blocks up to spring of vault + that end of vault is made of slabs. Meter stick on right open to 1.50.

Right (S.W.) transverse wall in central front room, also cross section of debris in doorway between end of wall + medial wall of building on right. Note addition to rear

36-  
301/314  
Cresson

U.D. 4/18 224 11 22 8" 4" 11:00 L.C. J-22 S.E.

U.D. 4/19 225 12 22 2" 1" 9:30 Sun J-8 N.E.

from

of pier on left, the same kind  
as found at the rear of two other  
piers at the front of this building.  
~~Meter stick on right open to 1.50 m.~~  
See no. 214, before removal of debris.

Cross section of debris on long-  
itudinal axis of room in center  
of building. From end wall of  
room on left to point opposite  
left (N.E.) side of first doorway  
on right. Fewer slabs near  
end wall. Meter stick on left  
open to 1.00. Tree stump + roots  
at top of debris.

Cross section of debris through  
pier at right (S.W.) side of central  
doorway. Pier on left. Rear wall  
on right. Meter stick on left open  
to 1.00 m.

36-  
301/314  
Cresson

O.K. 4/20 226 1 22 4" 2" 9:00 Sun J-8 S.E.

O.K. 4/20 227 2 22 15" 8" 9:30 Sun J-21 S.W.

S.U. 4/20 228 3 22 1"  $\frac{1}{2}$ " 10:30 Sun J-22 S.W.

from

Cross section of debris thru doorway to right (S.W.) of central doorway(?) Parts of piers on each side. Plinth at bottom. Meter stick at right open to 1.00 m.

Cross section of debris thru northwesternmost doorway on S.W. side of building. Part of wall on left. Part of pier on right. Good piece of floor surface + cross section thru two floor surface levels just above plinth on right. Meter stick on left open to 1.00 m.

Cross section of debris thru pier on left (N.E.) side of southwesternmost doorway of central part of building. Rear wall on left. Pier on right. Very large slab, probably a capstone, next

367

301/394

CRESSON

O.K. 4/22 229 4 22 8" 4" 9:30 Sun J-18 S.W.

S.A. 4/22 230 5 22 1" 1/2" 11:15 Sun J-21 N.W.

from

to pier. Meter stick on left open to 1.50 m.

Cross section of debris thru left (N.E.) side of pier on left (N.E.) side of central doorway on S.E. side of building. Vault slabs almost vertical in center, especially at floor level. Nearly horizontal at top. Meter stick on left open to 1.00 m.

across room  
Cross section of debris thru southeasternmost doorway of main room on S.W. side of building. Edge of pier to right (N.W.) of doorway on right with large slab just beyond. Meter stick on left open to 1.00 m.

36-  
301/314  
Cresson

from

O.K. 4/22 231 6 22 4" 2" 2:30 Sun J-18 N.E.

O.K. 4/22 232 7 22 8" 8" 3:15 Sun J-10 N.E.

O.K. 4/23 233 8 22 4" 4" 9:30 Sun J-18 W.

Cross section of debris thru pier on right (S.W.) side of central doorway on S.E. side of building. Meter stick on right open to 1.00 m.

Cross section of debris thru southeastern most doorway on N.E. side of building. End of front wall on left. Meter stick open to 1.00 m. stands on plaster floor a little above plinth and in the corner formed between the debris + the badly fallen pier on the left side of the doorway.

Right (S.W.) side + rear (N.W.) side of pier on left (N.E.) side of central doorway on S.E. side of building. Meter stick open to 1.00 m.

36  
301/314  
CRESSION

from  
 O.K. 4/23 234 9 22 8" 4" 10:00 Sun J-21 N.E.

O.K. 4/24 235 10 22 15" 15" 9:00 Sun J-21 S.W.

O.K. 4/24 236 11 22 8" 8" 3:00 Sun J-10 N.E.

36-  
 306/314  
 CRESSON

Cross section of debris thru southeasternmost doorway of main room on S.W. side of building. From inside the room looking out. End of front wall on left. Pier on right. Large vertical slab next to pier. Meter stick on left open to 1.00 m.

Cross section of debris thru other side of same doorway as previous picture (234) — southeasternmost doorway of main room on S.W. side of building. From outside looking in. Pier on left. End of front wall on right. Meter stick on right open to 1.00 m.

Exterior wall masonry from E. corner on left to right (S.E.) side of first doorway on right. Meter

4/25 237 12 22 4" 2" 2:30 Sun J-11 E.

Blank.  
retake

O.K. 4/26 238 1 22 4" 4" 11:30 L.C. N-1 S.E.

O.K. 4/27 239 2 22 4" 4" 8:30 L.C. O-15 N.W.

from

stick on right open to 1.00 m. Debris on left is between J-10 + J-9.

Right (N.E.) side of pier on left (S.W.) side of northeasternmost doorway on N.W. side of building. Note addition at rear of pier like those on piers on other side of this building. From rear of pier there is a secondary transverse wall. Meter stick on left open to 1.00 m.

Cross section of debris about 1.00 m. S.E. of N.W. end wall. Typical vault slabs thru debris to floor. Meter stick on left open to 1.00 m.

Cross section of debris thru right (S.E.) side of left (N.W.) doorway. End of front wall

36-  
301/394  
CRESSON

O.K. 4/27 240 3 22 1" 1" 4:15 L.C. N-1 N.W.

at side of doorway on left. Meter stick on left open to .50 m. debris indicates a non-vaulted building because it is very shallow + does not contain the typical large flat vault slabs. Furthermore, there is loose stark humous earth all the way to floor level + none of the light colored disintegrated mortar.

Cross section of debris thru center of lintel over front doorway. Meter stick on floor level + open to 1.50 m. Lintel over front doorway on left with front wall stones in position above it. Block of three stones on end on right. Sunken entrance passage across floor at foot of debris cleared about half way to bottom. Line of stones on

36  
201/314  
Cresson

O.K. 4/27 241 4 22 2" 2" 5:00 Cl. N-1 N.E.

floor level on near side of passage. Slabs in debris go down into passage below floor level. Numerous sherds in debris in passage.

Looking along sunken passage across floor toward rear of building. Stones at floor level forming top of wall along side of passage. Other side (on left) still covered with debris. On right, part of block of three stones on end. In center, in debris toward rear, fallen lintel stone (4), which went across passage from block (4). Front of lintel a fairly shiny block. Sherds scattered along passage, which is cleared about half way to bottom. Sherds also above general floor level beside 3-stone block, both under & over lintel.

36

301/314  
CRESSON

S.O. 4/30 242 5 22 1" 1" 9:00 Sun N-1 N.E.

O.K. 4/30 243 6 22 2" 2" 9:30 Sun N-1 N.W.

O.K. 5/1 244 7 22 2" 2" 8:45 Sun N-1 N.W.

S.U. 5/1 245 8 22  $\frac{1}{2}$ "  $\frac{1}{4}$ " 2:30 Sun N-1 N.E.

another view looking along sunken passageway toward rear of building. See note for previous picture (241).

another view the same as 240, which see.

Cross section of debris about .50 beyond (to S.E. of) sunken passage. Line of stones on S.E. side of passage at bottom. Slabs + flat blocks in debris at various angles. Soft, light colored, disintegrated mortar in bottom .50 of debris.

Looking along sunken passage across floor to "sanctuary" at rear of building, showing position of fallen lintel, + blocks of stones on

36-  
201/314  
CRESSON

O.K. 5/2 246 9 22 1" 1" 7:30 L.C. N-1 E.

O.K. 5/2 247 10 22 2" 2" 8:30 Sun N-1 N.E.

each side of passage, the one on the observer's right being of three stones on end. Lintel is fallen + broken at its left end, but stone just above this end is the broken off piece, having fallen inward on top of center piece. Meter stick open to .50 m.

Doorway of sanctuary after lintel had been removed, showing groups of sherds. Sherds in doorway under where lintel was, and in back of lintel up to top of left jamb block.

Cross section of albris in sanctuary, showing mass of sherds. Door jamba on each side

36-  
301/314  
CRESSON

O.K. 5/3, 248 (2) 22 2" 1" 9:30 Sun N-1 N.

O.K. 5/4 249 11 22 2" 2" 9:00 Sun 0-16 S.E.

O.K. 5/4 250 12 22 2" 2" 9:15 Sun N-1 N.W.

General view of N.W. half of building showing cross section of debris about .50 m. beyond sunken passage. Sanctuary on right. Lintel of door of sanctuary is on middle of floor.

Column altar in position as found. Top broken & toward front of building. Back (away from camera) is flat. Also shows cross section of debris thru center of front doorway. Meter stick at .50.

N.W. side of pier at E. corner of platform on which N-1 stands. Cross section of debris thru center of pier on right. Meter stick at .50.

36-  
301/314  
CRESSON

S.U. 5/4 251 1 22  $\frac{1}{2}$ "  $\frac{1}{4}$ " 11:45 Sun N-1 N.E.

S.O. 5/4 252 2 22  $3 \pm \frac{1}{4}$ " 11:45 Sun N-1 N.E.

O.K. 5/4 253 3 22 4" 4" 4:00 Cl. 0-16 N.

O.K. 5/6 254 4 22 2" 2" 8:30 Sun N-1 N.W.

O.K. 5/6 255 5 22  $\frac{1}{2}$ "  $\frac{1}{4}$ " 10:00 Sun N-1 N.E.

Wall of sherds at back of  
sanctuary.

Same

Cache bowl in position below  
floor in front of back wall in  
center of building. Under where  
column altar stood.

Cross section of debris across  
first platform to S.E. of building,  
from rear wall on right to a  
little beyond center of platform.  
Line of cut goes thru N.W. side of  
pier at E. corner of this platform.  
Debris very shallow. Meter stick .50.

Wall of sherds at back of  
sanctuary.

36-  
301/314  
CRESSON

O.K. 5/6 256 6 22 1/5" 1/8" 11:00 Sun N-1 N.E.

O.K. 5/6 257 7 22 2" 1" 3:00 L.C. N-1 S

O.K. 5/7 258 8 22 2" 2" 2:15 L.C. J-21 W.

O.K. 5/8 259 9 22 4" 4" 2:30 Sun J-8 S.W.

Looking into front doorway, showing lintel, stones on floor of passageway + shreds above stones.

Looking out of front doorway of building showing group of shreds against left jamb + above group of stones.

West corner of J-21 + wall of terrace to N.W. of J-21 with rough fill wall between. Meter stick at 1.00 m.

Cross section of debris thru pier on left (N.E.) side of central doorway. Rear wall on left, pier on right. Meter stick at 1.00 m.

36-

30/314  
CRESSON

O.K. 5/8 260 10 22 2" 1" 3:15 Sun J-18 N

O.K. 5/9 261 11 22 8" 4" 7:30 Cl. J-21 W.

O.K. 5/9 262 12 22 2" 2" 10:30 L.C. J-18 W.

O.K. 5/13 263 1 5.6 1/2" 1/4" 3:00 Sun — N.W.

O.K. " 264 2 " " " " " "

O.K. " 265 3 " " " " " "

O.K. " 266 4 " " " " " "

O.K. " 267 5 " " " " " "

O.K. " 268 6 " " " " " "

O.K. " 269 7 " " " " " "

Left (S.W.) leg base on floor with room debris above it.

Inner fill wall between N.W. end of J-21 on right + rounded corner of terrace to N.W. of J-21 on left. Meter stick at 1.00 m.

Piece of stucco molding in room debris, face up, opposite pier on left (S.W.) side of central doorway, N.W. side of building. Near medial wall, against which stands meter stick. Near left end of throne bench. See sketch.

Sisto	at camp.
Benjamin	" "
Anicelio	" "
Pablo	" "
Guadalupe	" "
Manuel	" "
Thomas y Ramona	" "

Sent to Villaleros

36-  
301/314  
CRESSON

from

O.K. 5/14 270 8 22 15" 15" 7:30 Sun 0-12 W.

O.K. 5/15 271 9 22 15" 15" 7:30 Sun R-10 N.E.

O.K. 5/15 272 10 22 15" 15" 7:45 Sun R-10 N.W.

Cross section of debris opposite central doorway, looking to large tree on back wall. Part of back wall on right. Debris contains slabs + many roots tightly packed. Large slab at left (capstone?), lying on roof, was in center, at 45°, running down to floor. Meter stick at 1.00.

Cross section of debris thru center of rear half of building. Rear of building at left. Meter stick standing on floor level + open to .42.

Cross section of debris thru center of left half of building. Left side of building on right. Meter stick standing on floor level + open to .42.

36-  
301/394  
Cresson

O.K. 5/15 273 11 22 8" 4" 8:15 Sun R-10 W.

S.U. 5/15 274 12 22 4" 2" 8:45 Sun R-9 N.W.

O.K. 5/15 275 1 22 8" 8" 10:00 Sun 0-12 N.W.

from

General view of building showing walls standing on right of central front doorway but nothing but very low debris on left half of building, (right in picture). Meter stick open to .62 + stands on plinth in doorway. Jose stands on floor.

Cross section of debris thru left half of building across pier on left of central front doorway. Left side of building on right in picture. Meter stick open to .62 + standing on floor level.

General view of niche in center of back wall. Left side of niche cleared, but right side + interior covered with roots from large tree. Wall of sill below niche at bottom. Sample of room debris at left. Meter stick open to 1.00. Jade celt found <sup>(between)</sup> stones (just in front of)

36

301/314  
Cresson

from

O.K. 5/22 276 2 22 15" 15" 9:45 L.C. R-16 S.W.

O.K. 5/22 277 3 22 4" 2" 12:15 L.C. O-4 S.E.

O.K. 5/22 278 4 22 4" 4" 1:00 L.C. R-9 S.W.

half way up sill wall above  
trawl, which is on floor level.

Cross section of debris 1.00 to  
left (N.E.) of left side of pier.  
Left rear corner of pier on right.  
Meter stick on floor level + open  
to .50.

Front of building, showing lintel  
broken + fallen in doorway. Plinth  
does not go across front of door-  
way but stops on each side. Meter  
stick stands on plinth + is open to  
1.00 m. Whisk stands on floor  
in doorway, which is .20 below  
plinth.

Cross section of debris thru  
right (N.E.) pier. Rear left corner  
of this pier is on left. Meter stick  
stands on floor level + is open to  
.52 m.

36  
201/314  
CRESSON

O.K. 5/23 279 5 22 15" 15" 7:30 Sun P-7 S.W.

6

O.K. 5/25 280 7 22 8" 8" 11:30 Sun P-7 N.E.

Section of medial wall  
opposite left (southeastermost)  
front doorway. Left end of  
small bench against wall.  
Meter stick stands on floor +  
is open to 1.00. Whisk stands on  
top of bench against wall.

used by Linton

Section of roof material  
above floor in left rear  
room. Medial wall at back  
right <sup>SE</sup> side of bench on right.  
Crowd is on floor surface.  
Meter stick also stands on  
floor surface, is vertical,  
+ open to .35. Brush stands  
on piece of smooth plaster  
of roof surface. Under +  
over this surface is plaster  
with pebbles. On same

36  
301/314  
CRESSON

S.U. 5/29 281 9 22 15" 15" 1:00 Sun — N.E.

level as brush, more to left is a small stone slab.

Upper group of pebbles, above flat plaster surface, is a piece of roof material in an upside down position; because there is plaster below these pebbles with the smooth side down, right against exposed smooth plaster.

Below the lower group of pebbles a thin slab was found.

Cliff carved with a glyph described by Maler. Off Desempania trail beyond Caba tree. Incised lines whitened with chalk. Meter stick open to .52 Rufino at lower left.

36

201/314  
CRESSON

S.O. 5/30 282 8 22 8" 4" 8:30 Sun P-7 S.W.

O.K. 5/30 283 9 22 4" 4" 9:00 Sun P-7 S.

Right front (W.) corner of platform below latest floor, with plinth on side. Latest floor above. Another floor on left side of cut at lower point of triangular white stone. Finishing plaster on side of platform (in crack). Platform later added to above plinth. Line of platform + later addition runs under end of front wall at upper left. Meter stick stands at bottom of wall of platform + is open to .52.

Corner of right side of sunken passageway + front of earlier platform below latest floor. Platform runs under center of pier, front half of which has fallen. Meter stick at level of floor of passageway + open to .52.

36  
301/314  
Cresson

O.K. 5/31 284 11 22 15" 15" 8:15 Sun 0-12 S.W.

O.R. 5/31 285 10 22 15" 15" 9:00 L.C. P-7 NE

General view from left (S.W.) end wall. Rear wall, with sill, on right. Left pier in left foreground. Boy standing in central doorway — is standing above floor level. Other boy standing on floor level at right end of building with large meter rod also on floor level, + right end wall beyond. Large tree on center of back wall with excavation thru floor in front of it. Small pick stands at left side of niche in back wall. Small meter stick stands on top of column altar behind root of tree + is open to 1.00 m.

Looking down into left rear room from rear wall. Left (S.E.) end wall on left. Debris in doorway thru medial wall. Meter stick stands on latest floor

36  
201/314  
C.R. 550 N

O.K. 5/31 286 12 22 30" 15" 11:30 Sun — N.E.

beside bench + is open to 1.00 m.  
Platform below floor at right  
(below trowel) runs under  
bench + wall below bench.  
Wall below bench extends to  
left as far as whisk, after  
which there is fill, although  
wall does not make a corner  
at this point.

Carved cliff described by  
Maler. More lines whitened  
with chalk than in previous  
picture, showing head of  
long-nosed god to right of  
above glyph. Meter stick open  
.35 vertically + .20 horizontally.  
José standing on ground at  
base of cliff.

36  
201/314  
C. E. S. S. O. N.

O.K. 6/15 287 4 22  $\frac{1}{2}$ "  $\frac{1}{2}$ " 11:00 Sun — N.E.

O.K. 6/16 288 5 22 2" 2" 10:45 L.C. K-5 S.W.

Position in plate reversed.  
Should be printed from dull  
side instead of from shiny side.

Sacrificial Rock. River beyond.  
Refilo with meter stick at base.  
Depressed parts, lines + surfaces,  
whitened with chalk.

Row of four column altars.  
Upper half: left to right. — K-5-1<sup>st</sup>  
heavier of two, K-5-1<sup>st</sup> lighter  
of two, K-5-2<sup>nd</sup>, smallest of  
lot, K-5-3<sup>rd</sup>, longest of lot.  
Flat faces, standing on bases.  
Lower half: same order but  
picture upside down. View of  
tops, flat faces down. Note  
smoke on tops of K-5-2<sup>nd</sup> + 3<sup>rd</sup>  
near flat face. Note that both  
K-5-1<sup>st</sup> altars are badly scaled  
at top, partly destroying flatten-  
ed effect on flat sides which  
appears farther down stone.  
Stones are so placed as to  
~~show~~ make their long axes

36-  
306/374  
CRESSON

6/16 289 11 22 4' 4' 11:15 L.C. K-5 N.

*Badly light struck*

12 came out with 11

S.U. 6/16 { 290 /  
a

K-5-1<sup>st</sup>

radiate to lens with all centers  
of tops in a straight line.  
See notes for details

K-5-3<sup>rd</sup>. Rod at outer left  
corner of left jamb of left door-  
way about .20 above floor level.  
Note extremely crude stones,  
including corners stones, which  
are selected for larger size +  
with alternating long axes for  
bonding. Note chinking with  
very irregular stone + very  
poor mortar which has  
largely disappeared at the surface.

Fallen section of rear wall, looking  
up from K-5-3<sup>rd</sup>. Note that there was a "core",  
but that few stones extend far in.

36-  
301/314  
Cresson

O.K. 6/16 { 290 2 22 2" 2" 12:30 Sun J-8 N.  
b

O.K. 6/16 291 3 22 2" 1" 12:45 Sun J-8 S.

O.K. 6/16 292 4 22 2" 2" 3:15 L.C. J-9 W.

O.K. 6/16 293 5 22 2" 1" 3:30 L.C. J-9 E.

O.K. 6/16 294 6 22 2" 3:40 L.C. J-9 N.

O.K. 6/16 295 7 22 2" 1" 3:55 L.C. J-9 S.

front

Left side + rear of pier excavated — on right of central doorway(?). Large meter stick is vertical on floor — leans out some because picture is looking down. But pier is falling frontwards badly anyway.

Right side + front of same pier. Top overhangs base .52 on front side. Meter stick on floor + vertical.

Rear + right side of pier on left of central doorway. S.E. side of building. Meter stick on floor. Front + left side of same pier.

Left side + rear of pier on right of central doorway. S.E. side of building.

Right side + front of same pier. Top overhang bottom .25 to front.

36-  
301/314  
CRESSON

O.K. 6/16 296 8 22 4" 4" 4:15 cl. J-11 W.

O.K. 6/16 297 9 22 15" 15" 4:30 <sup>very</sup> cl. J-11 E.

O.K. 6/16 298 10 22 8" 8" 4:50 cl. J-11 W.

from

Rear + right side of pier on left of central doorway. <sup>S.E. side of building.</sup> Leans forward. Note inset corner or "niche". Meter stick extends to its edge on rear face of pier. Large meter stick on floor level. There is a similar set-in corner at left side of rear of pier beside ~~to~~ large meter stick.

Front + left side of same pier. Plinth stones in front. Pier badly destroyed + stones fallen out. Bottom line of stones is in position. No niches in corners at front.

Rear + right side of pier on right of central doorway. S.E. side of building. "Niche" on each end of rear face, as in other pier.

367

301/314  
Cresson

O.K. 6/16 299 11 22 8" 8" 5:00 Cl. J-11 E.

O.K. 6/15/ 300 12 22 8" 8" 8:45 Cl. Q-15 N

O.K. 6/18 301 1 22 8" 4" 4:15 Cl. J-9 N.E.

O.K. 6/18 302 2 22 8" 4" 4:25 Cl. J-9 S.W.

O.K. 6/18 303 3 22 8" 8" 4:45 Cl. J-11 N.E.

Front + left side of same pier. Meter stick on floor level. Front left corner of pier has sunk. Plinth stones in front. No "niches" at front corners of pier.

Niche + column altar before moving. Note that flood side is to rear. The base is as level of bottom of left niche wall (over about), but 2 or 3 cms below top of right wall is floor material has probably never remained + altar was set in floor, though to slight depth. No pond is. 02 forward of line joining niche corners.

Right end wall. Same<sup>as</sup> 222.

Left end wall. Same as 213.

Right transverse wall. Same as 223

36-  
301/314  
CRESSON

from  
 O.K. 6/18 304 4 22 15" 15" 5:15 cl. J-10 E.

O.K. 6/19 305 (9) 22 2" 2" 9:15 cl. J-9 E.

O.K. 6/19 306 (10) 22 2" 2" 10:00 cl. J-8 S.E.

O.K. 6/19 307 (9) 22 4" 4" 11:00 cl. J-11 N.

West corner. Rear wall on left.  
 End wall on right, with small  
 ante wall to right.

General view of three front door-  
 ways of central room on S.E. side  
 of building. also wall to S.  
 corner, in front of which vault  
 slabs from room debris have  
 been piled. Boy standing in right  
 doorway. Meter stick projecting  
 above pier is standing on floor.

View thru central doorway  
 showing masonry of rear wall.  
 Meter stick projecting above pier  
 on left is standing on floor.

View from medial wall to show  
 rear of piers of central room on  
 S.E. side of building. Right  
 transverse wall on right.

36-  
 306/314  
 CRESSON

O.K. 6/19 308 5 22 4" 2" 11:40 L.C. J-12 S.W.

O.K. 6/19 309 6 22 8" 8" 1:40 cl. J-12 N.

O.K. 6/19 310 7 J-11

O.K. 6/20 311 8 J-10

S.U. 6/20 312 9 J-13

O.K. 6/20 313 10 J-13

S.U. 6/20 314 11 J-13

Bench at left (N.E.) end of room at S.E. end of building. Meter stick open to .35 but is .10 or .15 above floor level. Bench is disturbed just left of center. Not cleared to floor, especially on left. Sherd used as chisel above blade of trowel. Whisk at rear of bench.

Exterior wall + plinth on N.E. side of building near E. corner. Right side of southeasternmost doorway. Stairway behind J-11. Terrace wall N.W. of J-10.

Medial wall

End wall.

Debris section from top of end wall.

36-  
301/314  
CRESSON

O.K. 6/20 315 12

J-13

O.K. 6/20 316 1

O.K. 6/20 317 2

J-22

O.K. 6/20 318 3

J-22

O.K. 6/20 319 4

J-22

O.K. 6/20 320 5

J-22

O.K. 6/20 321 6

J-21+22

O.K. 6/20 322 7

J-18

O.K. 6/20 323 8

J-18

O.K. 6/20 324 9

J-18

Joining with terrace. Meter  
stick at .68 Brush on cornice.

N.W. end of stairway between  
J-11 + J-13. Meter stick .68

Rear + right side of pier

Front + left side of same pier.

Exterior wall of central part.  
Plinth below; cornice stone above

Corner at end next to J-21 —  
interior

Corner of exterior walls.

Rear + right side of pier on left of  
central doorway, N.W. side of building

Front + left side of pier on left  
of central doorway, S.E. side of building.

Medial wall seen thru central  
doorway of S.E. side of building.

36-  
301/394  
CRESSON

1835

O.K. 6/20 325 (11)

J-22

O.K. 6/20 326 (12)

J-22

O.K. 6/20 327 10

8 1/5 1/5 S.S.P.M

O.K. " 328 11

O.K. 6/26 329 (10)

1' 1" upper half

lower half

1' 1" (upside down)

O.K. 6/26 330 (12)

upper half

lower half

O.K. 6/26 331 12

O.K. 6/26 332 10 of Linton's pack

O.K. 6/26 333 11 of Linton's pack

Blank

Corner in central part of building

Corner at end next to J-21

Tequila + Ramiro

Trinidad + Riche - San Benito Peter

Figurines at Obregon  
front view

same order - left profile

same order - rear view

couple of changes -  
right profilePottery vase bought at  
Joruta. Taken at Obregon

" "

" "

36-  
301/314  
Cresson

36-  
301/314  
CRESSON

~~1936~~

check

1936  
 Date /  
 neg. /  
 serial /  
 no. /  
 film /  
 no. /  
 stop /  
 exposure /  
 scene /  
 clock /  
 time /  
 of /  
 light /  
 structure /  
 direction /  
 from

4/2 301 1 22 4" 4" 2:00 Sun J-29 N.

OK 4/2 302 2 8 1" 1" 2:30 Sun J-29 E.

OK 4/6 303 3 22 4" 4" 2:45 Sun J-29 W.

OK 4/6 304 4 22 8" 8" 4:00 Sun J-29 N.

## Description + Remarks

Terrace wall in front of + below central part of building. Meter stick at left open to 1.00 m. There was pure rock fill in front of this wall.

Moving boulder which was on top of debris at rear of building. Part of rear wall of building in lower right. Top of mound of house debris at upper right.

Left rear corner of substructure + section of secondary terrace wall built against it, with fill between. Meter stick 1.00 m.

Plinth wall under central doorway with embotido below it. Side of trench also shows embotido. At top of side fill is

OK 4/7 305 5 22 15" 15' 9:00 cl. J-29 E.

OK 4/7 306 6 22 8" 8' 9:30 cl. J-29 S.W.

OK 4/7 307 7 22 8" 8' 9:45 cl. J-29 S.W.

fill of small stones which was under two large steps. Meter stick stands on same level as pick.

Looking along back wall of building toward left rear corner showing battered secondary terrace wall. Meter stick stands at bottom of secondary wall. Rear end of "floor" in upper right hand corner.

Left rear corner of building + looking along back wall, showing secondary wall built against base of substructure with embotido between

Left rear corner of substructure with secondary wall built against it + fill between. at left is

OK 4/7 308 8 22 2" 2" 2:30 Sun J-29 N.

OK 4/9 309 9 22 4" 4" 8:30 L.C. J-29 N.

in-set corner of substructure. Meter stick open to 1.00. Note cornice-like overhang at about .80, which goes around corner covered by fill but does not turn inset corner at left.

Looking into trench cut to front of building, showing fill below central doorway, + cross section of fill wall in center.

Looking to rear along right side wall from right front corner. House wall on right, meter stick open to .50 + standing on plinth, boy with rod standing beside secondary wall, which runs parallel to plinth, small pick lying in fill between secondary wall + house wall. In center is part of secondary wall which is perpendicular to plinth, crosses

OK 4/9 310 10 22 4" 4" 9:00 L.C. J-29 E.

OK 4/11 311 L 22 8" 8" 2:30 Sun J-29 E.

above plinth + joins house wall.

Right (east) side of building, showing same things as previous picture (309). Boy on left beside secondary wall. On right shovel leans against plinth wall where secondary wall is cut away to expose plinth. Boy on right stands on plinth in front of front wall. Meter stick open to .50 + standing on plinth. Small pick in fill. Transverse secondary wall shown in cross section.

View of right (east) side of building, showing secondary wall in front, + behind corniced substructure, buttress with floor surface on top, base of house wall above, niche with back wall of niche extending behind house wall (sup-

S.O. 4/11 312 [2] 22 20" 4" 2:45 Sun J-29 E.

OK. 4/11 313 [3] 22 4" 4" 2:45 Sun J-29 E.

S.U. 4/11 314 [4] 22 4" 4" 2:45 Sun J-29 E.

BLANK 4/11 315 [5] 16 4" 4" 3:15 Sun J-29 S.

(5) was blank [6] 22 4" ? 9:00 L.C. J-29 S.

ported by sticks.) Meter stick stands at base of corniced substructure.

Same view but with wide angle lens to reach front of building. Toward front, secondary wall is exposed lower + is cut away lower to show plinth wall against which it is built. Meter stick as before. Small pick against section of secondary wall which comes out across plinth toward camera.

Same as 312.

Same view as 312 but from ground instead of from tower. Does not show rear corner.

Right (east) side of building front rear + above. Small meter

OK 4/15 316 11 22 4" 4" 7:45 Sun J-4 S.

stick in niche extends to outer  
plinth wall (which formed front  
side of niche). Knife is  
opposite transverse secondary  
wall which crosses plinth &  
but is crossed by end of  
house wall (propped by sticks).  
Whisk is at front corner of  
plinth. ~~Stick~~ is at front  
corner of secondary wall.  
\* Range photo.

North corner of central room.  
Showing base of wall on left  
(N.E.) of niche, which is falling  
to rear. Trowel is on sill.  
Secondary wall on right, which  
is also falling toward rear.  
Meter stick on floor + open to .52.  
Rear wall + sill go behind second-  
ary wall. Plaster on top of sill.

OK 4/18 322 5 22 2" 2" 3:40 L.C. J-4 S.

OK 4/15 317 12 22 1" 1" 3:30 L.C. J-4 N.E.

OK 4/15 318 1 22 1" 1" 4:00 Sun J-4 N.

OK 4/16 319 2 22 1" 9:45 L.C. J-4 S.

Left (N.E.) wall of left room. With small anti wall on right. Meter stick on floor open to .52. Small pick stands on sill at base of rear wall. Center of wall above which was destroyed + is not original.

Right (S.W.) wall of left (N.E.) room. Meter stick on floor + open to .52. Trowel opposite joining of pier + secondary wall. Two or three small vertical chinking stones were pulled out of this joining.

Right (S.W.) wall of right (S.W.) room. Shows short anti wall at front. Meter stick on floor + open to .52. Trowel in lower right lies on sill at base of rear wall.

Left (N.E.) wall of right (S.W.) room. Meter stick on floor + open to .52. Small pick stands

OK 4/17 320 3 22 1" 1" 2:15 L.C. J-4 S.E.

OK 4/18 321 4 22 2" 2" 3:10 L.C. J-4 S.E.

322 is on page 98

on sill at base of rear wall. Trowel is opposite joining of pier + secondary wall which is bonded by second stone above floor.

Rear wall of right (S.W.) room. Meter stick on floor + open to .52. Small pick stands on sill, which has three layers of plaster on it.

Rear wall of left (N.E.) room. Shows how it is falling to left end of building, as well as to rear. Meter stick on floor + open to .52. Small stick stands on sill, which is covered with plaster.

O.K. 4/25 323 6 22 4" 4" 8:45 L.C. 0-13 N.W.

O.K. 4/27 324 7 22 1" 1" 9:30 Sun 0-13 S.W.

from

- Cross-section thru debris against rear wall of building, about 1.50 toward center from small outset of rear wall + plinth, which can be seen on right. Small meter stick stands on plinth + is open to .42. Debris extends up wall to 1.30 above plinth. Boy with large meter stick stands on level of top of lower (outer) terrace wall. Debris consists of loose stones + earth; but to right of small pick (toward building) earth has a reddish color, while to left it is dull brown. Small pick stands over line of top of lower terrace wall. — about 1.60 out from house wall.

Joining of rear wall of tiny "room" (on rt. side of building) with battered second-

any wall. Meter stick stands on floor of room. Rear wall is built against battered wall <sup>+ over the top of it,</sup> but there is one stone which is bonded (just above trough). Battered wall is built against house wall (at upper right with which against it) because plaster on house wall goes down below top of battered wall as well as back across end of rear wall.

O.K. 4/27 325 8 22 2" — 11:45 L.C. 0-13 N.W.

Left (battered) wall of tiny "room" on rt. side of building. Both meter sticks stand on floor of room, small one in front of "plinth" at base of wall on right. Whisk stands on top of battered wall + against earlier house

O.K. 4/28 326 9 22 8" 8" 7:15 Sun 0-13 W.

O.K. 4/28 327 10 22 4" 4" 7:45 Sun 0-13 W.

wall, against which battered wall was built. Note plaster to left of which which runs behind wall on left.

Base of small pier against rear wall of front room, right side of building. Trowel lies on a plinth or sill at base of rear wall. Plaster on sill + on wall both above + below sill continues back of pier. Wire brush is at level of bottom of wall + bottom of pier. Meter stick stands on floor material of front room + is open to .35. Far corner of pier is at right.

interior

General view of walls of right wing of building from front. Which stands against

O.K. 4/28 328 // 22 8" 4" 8:15 Sun 0-13 N.V.

earliest house wall + on top of battered wall. Man with meter stick stands on floor of tiny "room" behind secondary cross wall. Small pick stands on same level on floor of outer room, above fill.

Large pick stands at bottom of plinth wall at level of an earlier floor covered by fill. Brush + trowel on "sill" at extreme right center.

Cross section of debris in front half of front room three left side of right doorway.

Base of front pier falling forward is at right. Debris is mainly of wall stones — blocks + slabs; also earth + disintegrated mortar. Large meter stick at left stands on floor material of rear half of room.

O.K. 4/28 329 12 22 4" 2" 8:45 Sun 0-13 N.W.

S.U. 4/28 330 1 22 4" 4" 3:15 Sun 0-13 N.E.

Right (N.W.) side of pier on left side of furthest right front doorway. Buttress on side of pier (against which small pick stands) is leaning forward only slightly, but main part of pier has fallen forward a great deal. Two meter sticks (both vertical) stand at rear + front of pier stones in their present position. One at rear (left) is probably very near original rear of pier, as it stands on floor material.

Rear wall of building at outset to right of center. Small pick on plinth. Note plaster on battered plinth wall + a small patch above plinth. Boy with meter stick stands on top of terrace. Outset in terrace

Under 4/28 331 2 22 8" 8" 4:00 L.C. 0-13 N.E.

Under 4/29 332 3 22 15" 8" 8:30 Sun 0-13 N.

wall at bottom.

Face of fill wall behind upper secondary terrace wall at rear of building, to right of center. Small pick stands against base of upper secondary terrace wall, but above first two or three layers of stones it was fallen. Meter stick stands on level of top of inner terrace wall.

Joining of right wing to central part of building, from the rear. Small meter stick on top of plinth wall of central building. Machete on battered secondary wall which covered plinth wall. Small pick against substructure of central building. Whisk on plinth of rear wall of right wing.

S.U. 4/29 333 4 22 8" 4" 9:00 L.C. 0-13 N.W.

Large meter stick stands at back of this plinth wall, which is also top of substructure of right wing, the top of the rear wall of which is in the foreground with a machete lying on top.

Right (N.W.) wall of central part of building, to rear from right wing. Shows same things as previous picture. Small meter stick stands on plinth of central building. Shovel leans against plinth wall. Machete against battered secondary wall + standing at its bottom. Small pick against substructure of central building, which continues down + shows inset of corner to left. Whisk on plinth of rear wall of right

S.U. 4/30 334 5 22 4" 2" 2:45 Sun 0-13 N.E.

S.U. 4/30 335 6 22 8" 2" 3:30 Sun 0-13 N.

wing. Boy with large meter stick stands on top of terrace at rear of central building.

Rear wall of right wing of building showing its joining with central part of building. Which stands on plinth. Meter stick stands at bottom of wall, on terrace platform (see cut to left below bottom of wall to show substructure of central building running under it.) Small pick staps on battered terrace wall, which also runs thru to front. at left is right wall of central building + its plinth wall.

Exactly the same as 332, except shovel in place of large meter stick; + no machete in foreground.

O.K. 5/4 336 7 22 1" 1/2" 10:00 L.C. 0-13 N.E.

O.K. 5/4 337 8 22 2" 2" 3:30 L.C. 0-13 S.

O.K. 5/5 338 9 22 2" 2" 11:00 L.C. 0-13 S.E.

Rear of T-shaped pier on left of right front doorway, from rear + above. Leans a great deal to front. Meter stick to left + small pick on right stand on floor level. Whisk in center also stands on a floor but at a higher level.

Carved stone slab in position as found, in front of terrace wall in front of right doorway. Trowel on sill of outset section of terrace wall.

Left (S.E.) side of pier on left side of right front doorway, showing how it is falling to front. Meter stick on floor at rear of front section. Boy standing on floor at rear of rear section. Other boy stands on floor.

O.K. 5/7 339 10 22 15" 8" 7:45 Sun 0-13 NW.

beside base of pier at rear of front room. Rear wall with which on sill at right. at extreme left is section through terrace wall with two front steps to right.

From same position as no. 325 after half of battered wall had been removed, showing earlier walls + plinths which it covered. Left side of tiny "room" on right side of building. Wire brush at top of battered wall. Meter stick on plinth of house wall to rear of building. Whisk on plinth of house wall to front. Trowel on floor plaster at base of plinth walls, which ran under battered wall. To right is rear wall of front room with plinth at base.

O.K. 5/7 340 11 22 15" 4" 8:30 Sun 0-13 S.W.

O.K. 5/7 341 12 22 2" 1" 10:30 Sun 0-13 N.W.

Looking down on joinings of walls shown in 339, from on rear wall of front room. Meter stick on plinth at corner of house wall to rear. Whisk on plinth of house wall to front of it. Trowel on floor at base of plinth walls, which runs under battered wall. Handle of trowel in front plinth of rear wall of front room.

(N.W.)  
Right sides of front room piers on right side of left end doorway. Not cleared to bottom — bag stands on level of front step at front of front pier. Whisk is against line of stones which may be rear side of rear wall of front room, falling forward with rear pier. At left small pick is against

O.K. 5/7 342 1 22 2" 2" 3:12 Sun 0-13 S.

O.K. 5/7 343 2 22 2" 1" 3:45 Sun 0-13 S.E.

top of rear wall of middle room.

Place where cache was found, in embotido, under floor of front room, between front + rear piers. Meter stick, open to 42, stands at base of front pier. Bottom of cache bowl was at top of handle of small pick. These piers are on right side of left end doorway.

front room  
Left (S.E.) sides of piers on right side of left end doorway. Opposite sides of piers shown in 341. Meter stick (open to 62) stands at base of rear of front pier. Small pick at left is on front step. Whisk at right is on sill at base of rear wall.

O.K. 5/8 344 3 22 8" 4" 8:30 Sun 0-13 N.W.

Above rear pier is section of upper part of rear wall of front room, which fell forward with rear pier.

Right rear corner of rear wall of front room, within right wing of building; with plinth wall below it. Meter stick stands on plinth + against secondary cross wall. Plinth continued to right around corner. Trowel on floor at level of plinth + at base of secondary cross wall. Small pick on earlier floor at base of plinth wall, which is covered by fill which runs under cross wall. At left is rear wall of right wing.

O.K. 5/8 345 4 22 1" 1" 10:45 L.C. 0-13 S.

O.K. 5/8 346 ~~6~~ 22 1" 1" 2:45 Sun 0-13 —

BLANK 5/8 346 ~~5~~ Same  
X.

O.K. 5/8 347 7 22 2" 2" 3:30 Sun 0-13 —

Joining of rear wall of left wing <sup>(on right)</sup> + secondary battered wall inside the building. Small pick at bottom of both walls. Below trowel battered wall passes through or under rear wall, above trowel rear wall passes over top of battered wall.

Column altar from 0-13. Front (?) and upside down (?). Note bits of white plaster in center + on left.

Same but no good.

Column altar 0-13. Left (?) side + upside down (?) Front (?) toward right. Rear (?) toward left.

O.K. 5/8 348 8 22 1" 1" 4:00 Sun 0-13 —

O.K. 5/8 349 9 22 1" 1" 4:15 Sun 0-13 —

O.K. 5/9 350 10 22 4" 4" 9:30 L.C. 0-13 S.

✓ 5/10 X 11 5.6 1" — 3:30 L.C. — —

✓ 5/10 X 12 " " " " " " — —

O.K. 5/11 351 1 22 11:20 0-13 S.E.

Column altar. Top (?)  
with front (?) down.

Column altar. Bottom (?)  
with back (?) down.

Section of debris covering stair  
way in front of terrace wall  
below right central doorway.  
Whisk stands on floor, which is  
both in front of and under steps.  
Meter stick on floor level + open  
to .52. Debris contains earth,  
some fallen step blocks, + a  
great deal of small stones +  
gravel.

Cipriano — at camp

Sisto — at camp.

Left rear corner of rear  
wall of front room, within  
left wing of building; with

O.K. 5/14 352 2 22 15° 8' 9:30 Sun R-1 N.W.

plinth wall below it. Corresponds to 344 on other side of building. Meter stick stands on plinth at rear of wall; note that plinth does not continue around end of wall, as it does in 344. Whisk stands on sill at base of front of wall. Small pick stands on floor at base of plinth wall. at right, battered wall crosses plinth. also at right (if it got in the picture) trowel is on floor at level of plinth.

Stairway at front of building to right off center. Meter stick leans against plinth wall, which goes down behind steps. There are four steps but the one next to the bottom is clear only toward left in picture. Boy on right

O.K. 5/15 353 3 22 2" 1" 11:45 L.C. 0-13 S.

O.K. 5/17 354 4 22  $\frac{1}{5}$ "  $\frac{1}{5}$ " 3:45 Sun 0-13

stands on floor beside pier. other boy is about at level of top step.

Left front corner of rear wall of front room, within left wing of building. Meter stick on floor finishing plaster, + open to .62. Whisk stands on sill, which continues to end of wall at right + behind pier at left; pier has fallen greatly forward. Small pick leans against base of "plinth wall", on which rear wall of front room was built. "Plinth wall" probably had steps in front — trowel lies on a stone which is a possible step.

Sculptured stone at camp — m. s. s. # 16. Sunlight from left.

O.K. 5/17 355 5 22  $\frac{1}{5}$ "  $\frac{1}{5}$ " 4:30 Sun D-13

S.U. 5/20 356 6 22 15" 4" 10:00 Sun R-1 N.W.

M.S.S. #16 with direct sunlight. Has bits of hard white plaster on face + behind head. Plaster ends in a fairly straight line above eye, above ear + across feathers behind head. Also some bits on <sup>at edge of stone</sup> border just below center + at upper right corner.

Plinth wall at right front corner of building, showing stones falling to side. Meter stick stands at bottom of wall opposite "inset". Piece of heavy wall plaster in this inset (fallen a little) which opposite original corner(?) falling greatly to side. To left of which is secondary(?) wall, which is broken off before corner is reached.

O.K. 5/21 357 7 22 8" 4" 2:15 cl. R-1 N.E.

O.K. 5/21 358 8 22 8" 4" 3:15 cl. R-1 E.

O.K. 5/23 359 9 22 2" 1" 3:00 Sun. R-1 S.

Cross section of debris on left side of building. Rear of left front pier on right. Rear wall on left, falling to rear, with whisk on sill. Meter stick on floor plaster, open to .68. Debris has yellowish limy earth + many small slabs which go to floor.

Rear + right side of pier on right of central doorway. Meter stick on floor. Whisk on floor opposite section of well-preserved thick wall plaster at base of pier.

Looking straight down on left rear corner of right front pier, showing section of thick plaster at base of pier. Gravel + meter stick on floor plaster. Pencil on wall plaster. Note pebbles in wall plaster. Is .03 to .05 thick.

O.K. 5/23 360 10 22 2" 1" 3:30 Sun R-1 W.

O.K. 5/23 361 11 22 2" 1" 4:00 Sun R-1 N.

O.K. 5/24 362 12 22  $\frac{1}{2}$ "  $\frac{1}{5}$ " 11:00 Sun -013

Rear wall to rt. of niche, + right side of niche. Small pick against stones of side of niche falling to rear. Trowel on sill. Whisk on floor at turn-up of plaster at base of wall.

Part of rear wall to right of niche. Trowel + meter stick on sill. To left of trowel is plaster on sill — horizontal with turn-up at rear. Part of lower layer of plaster may also be seen. Brush + whisk lie on floor at turn-up of plaster at base of rear wall. Above lowest line of stones the entire wall has slid to rear.

M.S.L. # 16 with sunlight from above + right. To show bits of plaster across face +

O.K. 5/24 — 1 22  $10\frac{1}{5}$ " 11:15 am — —

*slightly better  
than the Morley.*

O.K. 5/27 363 2 22 8" 2" 8:15 a. 0-13 W.

O.K. 5/27 364 3 22 4" 1" 9:00 a. 0-13 N.

behind head, etc., with the plaster whitened with chalk. Compare with 355 which has no chalk.

Same as 362.

Right end wall of "stairway" under latest floor within right wing of building. Another wall stone or two fell out from where knife is. Embatida rises with bottom of wall. Plaster just to right of meter stick + on stones further to right (front).

Same as 363 from side of building instead of from front. Meter stick + knife in same positions as before.

O.K. 5/27 365 4 22 8" 2" 10:00 Sun 0-13 N.W.

S.A. 5/27 366 5 22 2" 1" 11:00 Sun 0-13 N.W.

O.K. 5/28 367 6 22 8" 4" 7:30 L.C. 0-13 W.

Joining of terrace wall of central part of building with "plinth wall" of "wall X" inside right wing of building. Terrace wall is only three stones high, below which is fill. Its base is at same level as base of "plinth wall." Whisk lies on its top. Plinth wall passes on thru to small pick.

Substructure of wall at right end of right wing falling greatly to front. May belong on two levels. Lower level at front is good back to whisk. Upper level is in position at upper left corner (by meter stick) + falls to front as far as small pick.

Joining of front terrace (on left) with end wall of outer

O.K. 5/28 368 7 22 8" 4" 7:45 L.C. 0-13 S.

O.K. 5/28 369 8 22 8" 4" 8:00 L.C. 0-13 S.W.

O.K. 5/28 370 9 22 8" 4" 8:15 Sun 0-13 W.

(on right)

stairway (?) which is broken off at whisk. Meter stick on "plinth" at base of terrace. Boy stands on early floor in front of panel. Below 4 in front of right wing.

Right end of front terrace below rt. wing. Meter stick on "plinth" as in 0367. Boy opposite corner of terrace.

Panel on front terrace below rt. wing. Trowel on upper level behind piece of plaster. Boy stands on floor at base of panel & terrace wall, & behind steps, one of which is in foreground.

Same as 369 but from rt. side. Meter stick, trowel, & boy in same positions. End wall of stairway below.

O.K. 5/28 371 10 22 8" 4" 8:30 Sun 0-13 W.

5/28 372 11 22 4" 2" 9:30 Sun 0-13 E.

under for  
sketches

O.K. 5/28 373 12 22 1" 1/2 9:45 Sun 0-13 W.

S.U. 5/28 374 1 22 2" 1" 10:15 Sun 0-13 N.W.

Stairway in front of terrace wall below rt. wing. Note that upper course of each step projects over lower course. Both boys stand on same floor which runs under steps back to terrace wall. End wall of steps at left, behind which is panel.

Cornice at rear of left wing where it joins central part of building. Meter stick against base of upper zone.

Substructure at rt front corner of rt. wing, + along rt. side. Meter stick at bottom. Beyond which, wall is not so good + emboldo was above which.

Substructure + wall of rear half of rt. side of rt. wing. Rt. rear

O.K. 5/28 375 2 22 1" 1" 11:00 Sun 0-13 N.W.

*under-developed.*

O.K. 5/30 376 3 22 8" 2" 10:45 Sun 0-13 N.W.

*under-developed*

corner on left. Meter stick at base of substruc. Trowel on plinth. Wall broken + falling to rt. of whisk (toward front).

Terrace wall below rt. end of rt. wing, which can be seen at top. Just below 374. Inset of corner on left. Meter stick at base of wall with line of chise + embotido below. Trowel against cornice stones, which have plaster underneath. On rt. wall is broken off at whisk with embotido beyond.

"Wall junction" in rt. wing, from same position as 325 and 339, after more of battered wall had been removed. Extended meter stick on lower floor; closed one on upper floor. Brush on

5/30 377 4 22 8" 2" 2:00 Sun 0-13 E.

*under-exposed  
under-developed*

S.U. 5/30 378 [1] 22 4" 4" 2:45 L.C. 0-13 N.E.

plinth of "wall X". Whisk on next higher plinth.

Joining of left wing with central part of building, from the rear. Small pick opposite secondary battered wall at its base.

Whisk against interior section of battered wall, covered above by rear wall of lt. wing. Brush on cornice of rear wall lt. wing. Meter stick on plinth of central part of building.

Left rear corner of central part of building + rear of left wing, from the rear. One boy on sub-structure terrace of central building (on rt.); other (with rod) on terrace of left wing. Part of secondary wall covering "plinth wall" between corner + boy on right.

S.U. 5/30 379 [2] 22 4' 4" 3:15 L.C. 0-13 S.E.

O.K. 6/1 380 [3] 22 8" 4" 8:00 L.C. 0-13 S.E.

O.K. 6/1 381 [4] 22 8" 4" 8:30 Sun 0-13 S.

Same, from building's left. Whisk on plinth of central structure. Brush on cornice of lt. wing. Small pick against base of battered wall. Tops of the two terrace walls in foreground. Section of secondary wall against rear of central building.

Interior of left wing from left end. Boy on front plinth step. Small pick on floor at rear of front room. Small meter stick on plinth of "wall X" at base of battered wall.

Same from left front corner. Small pick same. Small meter stick on upper floor of back room. Boy + rod stand about .50 below lower floor at base of plinth wall of wall X.

O.K. 6/1 382 5 22 16" 8" 9:00 Sun 0-13 S.W.

O.K. 6/1 383 6 22 8" 2" 9:30 Sun 0-13 S.E.

O.K. 6/1 384 5 22 8" 2" 10:15 Sun 0-13 N.W.  
*under-developed*

Same from front. Small pick same + small meter on sill. Front of falling pier on extreme left. Boy stands on upper floor with rod standing on lower floor. End wall on right.

Cross-section thru rt. side of building from front of left side. Boy with rod on floor at base of front terrace wall. Other boy on floor at rear of front room. Trowel on sill.

Wall junction in right wing from right end wall. Whisk at top of battered wall. Trowel handle on upper floor. Small pick (with head just out of sight) stands on lower floor, at bottom of plinth wall of wall X.

O.K. 6/1 385 [7] 22 4" 2" 11:15 L.C. 0-13 N.W.

6/1 386 [8] 22 8" 8" 2:15 L.C. 0-13 N.W.

S.U. for shadows.

O.K. 6/2 387 [9] 32 16" 8" 8:30 L.C. 0-13 N.W.

Wall + substructure at right end of right wing of building. Boy with rod at rt. front corner of substructure. House wall fallen in center but in position at extreme left. Other boy in rt. front doorway.

House wall + terrace platform wall of rt. end of rt. wing, to rear of center. Rt. rear corner of house wall on left. Inset for corner of terrace wall on left below. Meter stick on floor at bottom of terrace wall.

Interior of right wing from right end. Whisk on upper floor level. Boy on same floor, beyond base of rear pier. Boy with meter stick in front doorway beside front pier. Piers on J

6/2 388 [10] 32 36" 15" 9:15 L.C. 0-13 N.

Under on  
right side

6/2 389 [11] 22 15 8" 9:45 Sun 0-13 N.W.

S.W. for  
shadows

O.K. 6/3 390 [12] 22 60" 30" 7:00 Sun 0-13 N.

left side of building in  
center distance. Travel on sill.

Right rear corner of right wing  
+ its terrace, which has an  
inset rounded corner, with  
cornice on right. Meter rod  
lies on floor level at base of  
terrace wall. Boy on floor level  
at top of terrace. Well-worked  
stone, probably a cornice stone  
on terrace near corner. Bones  
at base of terrace on left. <sup>(Don't show)</sup>

Looking along rear of building  
from rear corner of right wing.  
Large meter stick stands on  
floor at base of terrace walls.  
Bones in foreground — later  
found to corner with pick.

Right rear corner of central  
part of building + its terrace,  
which has inset rounded

O.K. 6/3 391 [1] 22 15" 8" 8:00 Sun 0-13 N.E.

O.K. 6/3 392 [2] 22 8" 4" 8:45 L.C. 0-13 N.E.

O.K. 6/3 393 [3] 22 8" 4" 9:30 L.C. 0-13 N.

O.K. 6/3 394 6 22 4" 4" 9:45 L.C. 0-13 N.

corner with cornice. Rt wing  
+ its terrace on rt. Boy stands  
on top of terrace at rear of building

Rear of central part of building  
+ its terrace. To right of center.  
Boy with rod on floor at top of  
terrace at corner. Whisk on plinth.  
Other whisk at base of upper  
secondary wall. Rt. wing of  
building on rt.

Rear of right wing of building  
+ its terrace, with joining to  
central part of building. Whisk  
on plinth. Boy + rod on terrace  
at base of substructure wall.

Entire rear half of building  
to right of center. Boy + rods  
on terrace at rear of rt. wing.  
Same with small camera.

